



PROXI-ARENA-L

EQUESTRIAN ARENA LED LIGHTING


PROXIMAL
EQUINE LIGHTING EXPERT



Model PROXI-ARENA-L 150 W 22000 lm

KEY POINTS

- Average luminous flux from 14500 lm to 29000 lm
- Aesthetic design, easy to clean and wash
- Dimmable luminous flux option (training, competition modes)
- Daylight controlled lighting (option)



BENEFITS =



COMPLIANT
WITH EQUESTRIAN
FEDERATIONS
STANDARDS

+

EASY
TO INSTALL



+

IMPORTANT POWER
CONSUMPTION SAVINGS



PROXI-ARENA-L


LED-BELEUCHTUNG FÜR REITHALLEN



Model PROXI-ARENA-L 150 W - 22000 lm

OVERVIEW OF THE SERIES

Environment	
• Operating temperature	-40 °C to +50 °C
• Relative humidity	10% to 95%
Dimensions	
• PROXI-ARENA-L 100 W - 14500 lm	L : 600 mm x W : 236 mm x H: 85.6 mm
• PROXI-ARENA-L 150 W - 22000 lm	L : 900 mm x W : 236 mm x H: 85.6 mm
• PROXI-ARENA-L 200 W - 29000 lm	L : 1200 mm x W : 236 mm x H: 85.6 mm
Weight	
• Models: 100 W (4.8 kg) - 150 W (6.3 kg) - 200 W (8.1 kg)	
Housing / Finish	
• Luminaire body	Aluminium - Electrophoresis surface coating
• Other parts	304 stainless steel, galvanization coating, Aluminium end caps, electrophoresis surface coating
• Light source envelope	Polycarbonate
Electrical specifications / Connection	
• Power consumption	100 W to 200 W according to the models
• Power supply	230 VAC
• Power supply device	Integrated into the luminaire
Installation	
• Fastening to the supporting structure	Surface mounted or suspended




Dimensions: model PROXI-ARENA-L



Easy to clean and wash

MODEL: PROXI-ARENA-L 150 W 120°

Optical specifications				
• Correlated Colour Temperature	4000 K (others upon project specifications)			
• Luminous efficacy	145 lm/W			
• Luminous flux	22000 lm			
• General Colour Rendering Index (Ra)	>85			
• Expected lifetime (70% efficacy point)	50 000 hours			
• Illuminance	Distance	4 m	6 m	8 m
	Measured value	480 lx	250 lx	160 lx
Product warranty				
• Warranty	5 years			



Mounting options

REF. D5-PROXI-ARENA-L-EN B